

QuickShip[®]

*Get faster shipping on many
Welbilt products.*





The Welbilt® QuickShip Program offers quick shipment on many Welbilt brands allowing you to satisfy your customer's urgent equipment requirements.

PROGRAM DETAILS

- Orders received by noon eastern ship the next business day or sooner
- Program Polar Pak units ship within 48 business hours
- Program KoldFront units ship within 5 business days
- Order must be marked as "QuickShip" program and no clarification is required
- Account must be in good credit standing and any orders that require buying group credit approval may have delayed for credit approval
- Only the models listed are in the Quick Ship program
- 2017 Quick Ship program ends 12/31/17
- Pricing and Freight per 2017 Webilt Select Program if applicable
- Program only available for the contiguous states only (excludes Alaska and Hawaii and all off-shore United States territories and possessions, which include American Samoa, Guam, the Northern Mariana Islands, Puerto Rico, and the U.S. Virgin Islands).



CLEVELAND EQUIPMENT AVAILABLE FOR QUICKSHIP

PRODUCT	MODEL NUMBER/DESCRIPTION
STEAM	
21CET162083MCS	Steamcraft® Ultra 5 Convection Steamer, electric, Countertop, 1 compartment, (5) 12 x 20 x 2-1/2" pans/compartment capacity, automatic controls & automatic boiler blowdown, s/s construction, 16kw
21CET82081MCS	Steamcraft® Ultra 3 Convection Steamer, electric, Countertop, 1 compartment, (3) 12 x 20 x 2-1/2" pans per compartment capacity, manual controls, automatic boiler blowdown, s/s construction, 8kw
21CET82083MCS	Steamcraft® Ultra 3 Convection Steamer, electric, Countertop, 1 compartment, (3) 12 x 20 x 2-1/2" pans per compartment capacity, manual controls, automatic boiler blowdown, s/s construction, 8kw
21CGA5NMCS	Steamcraft® Ultra 5 Convection Steamer, Gas, Countertop, 1 compartment, (5) 12 x 20 x 2-1/2" pans/compartment capacity, automatic controls & automatic boiler blowdown, left hand dr hinging, split water connection, s/s construction, 70,000 BTU, 4" adj legs
22CET32082401MCS	SteamChef™ 3 Convection Steamer, electric, Boiler-Free Countertop, 1 compartment, (3) full size pan capacity, SureCook controls, automatic drain & water level controls, KleanShield™ interior, standard treated & tap water connection, stainless steel exterior, 4" adjustable legs, 9kw, ENERGY STAR®
22CET32082403MCS	SteamChef™ 3 Convection Steamer, electric, Boiler-Free Countertop, 1 compartment, (3) full size pan capacity, SureCook controls, automatic drain & water level controls, KleanShield™ interior, standard treated & tap water connection, stainless steel exterior, 4" adjustable legs, 9kw, ENERGY STAR®
22CET62082403MCS	SteamChef™ 6 Convection Steamer, electric, Boiler-Free Countertop, 1 compartment, (6) full size pan capacity, SureCook controls, automatic drain & water level controls, KleanShield™ interior, standard treated & tap water connection, stainless steel exterior, 4" adjustable legs, 13.5kw, ENERGY STAR®
22CGT6.1NATMCS	SteamChef™ 6 Convection Steamer, Gas, Boiler-Free Countertop, 1 compartment, (6) full size pan capacity, electromechanical controls, automatic drain & water level controls, KleanShield™ interior, standard treated & tap water connection, stainless steel exterior, 4" adjustable legs with flanged feet, 32,000 BTU per compartment, UL, NSF, Energy Star®
24CEA102083MCS	Steamcraft® Gemini™ 10, Pressureless Steamer, electric, 2 compartments with individual generators, (5)12x20x2 1/2 pans/compartment capacity, electro-mechanical 60 min. timers, s/s construction, 6" s/s legs, twin 16kw, total 32kw
24CGA10.2NMCS	Steamcraft® Gemini™ 10 Convection Steamer, pressureless, gas, 2 compartments with individual generators, (5)12x20x2 1/2 pans/compartment capacity, electro-mechanical 60 min. timers, 1 standard treated & tap water connection, s/s construction, 6" adjustable legs w/flanged feet, twin 72,000BTU, total 144,000BTU
24CGA10NMCS	Steamcraft® Ultra 10 Convection Steamer, pressureless, gas, 2 compartments, (5) 12 x 20 x 2 1/2 pans/compartment cap., electro-mechanical 60 min. timers, 1 standard treated & tap water connection, s/s construction, 6" adjustable legs w/ flanged feet, 125,000BTU
KETTLES	
KET12TP	Kettle, Electric, Table Top, Tilting, 12-gallon capacity, 2/3 steam jacket design, s/s exterior finish, lever-type tilt, support console on right, splash proof
KGT12TP	Kettle, Gas, Table Top, Tilting, 12-gallon capacity, 2/3 steam jacket design, s/s construction, support console on right
KGL40	Kettle, Gas, Stationary, 40-gallon cap., 2/3 steam jacket, self-contained, floor mounted control console supports, electronic ignition, s/s finish, faucet mounting bracket, flanged feet, 2" tangent draw-off with strainer, spring-assisted cover, 50 psi rating
KGL40T	Kettle, Gas, Tilting, 40-gallon capacity, 2/3 steam jacket design, floor mounted control console supports, s/s exterior finish, std w/flanged feet, 50 psi rating, electronic spark ignition, cover & draw-off optional
SKILLETS	
SGL30TR	DuraPan™ Tilting Skillet, Gas, 30-gallon capacity, modular open base, standard with electric tilt mechanism, stainless steel construction, includes spring-assisted cover, gallon markings and electronic spark ignition, food strainer, stainless steel level adjustable feet, CE, NSF
SGL30T1	PowerPan™ Tilting Skillet, Gas, 30-gallon capacity, bead blasted cooking surface, 10° tilt cooking feature, with easy manual hand tilt, spring-assisted cover with vent, gallon & liter markings, food strainer, stainless steel construction with open leg frame, CE, NSF
SGL40TR	DuraPan™ Tilting Skillet, Gas, 30-gallon capacity, modular open base, standard with electric tilt mechanism, stainless steel construction, includes spring-assisted cover, gallon markings and electronic spark ignition, food strainer, stainless steel level adjustable feet, CE, NSF
SGL40T1	PowerPan™ Tilting Skillet, Gas, 40-gallon capacity, bead blasted cooking surface, 10° tilt cooking feature, with easy manual hand tilt, spring-assisted cover with vent, gallon & liter markings, food strainer, stainless steel construction with open leg frame, CE, NSF

Submit orders for Cleveland to: steam@Welbilt.com or call (800) 338-2204
Please reference QuickShip on your Purchase Order.



CONVOTHERM EQUIPMENT AVAILABLE FOR QUICKSHIP

MODEL	DESCRIPTION	MODEL	DESCRIPTION
MS6102082403REC	6.10 Mini w/easyTouch, right hinged.	C4eT6.10GS; NAT; 120V;1PH	Disappearing Door, Cleaning
C4eT6.20EB; 208-240V;3PH	Disappearing Door, Cleaning	C4eT6.20GS; NAT; 120V;1PH	Right Hand Door, Cleaning
C4eT6.20ES; 208V;3PH	Disappearing Door, Cleaning, Smoker	C4eT6.20GS; NAT; 120V;1PH	Disappearing Door, Cleaning
C4eT6.20ES; 208-240V;3PH	Disappearing Door, Cleaning	C4eT6.20GS; NAT; 120V;1PH	Disappearing Door, Cleaning, Smoker
C4eT6.20ES; 440-480V;3PH	Disappearing Door, Cleaning	C4eT10.10GS; NAT; 120V;1PH	Disappearing Door, Cleaning
C4eT6.20GB; NAT;120V;1PH	Right Hand Door, Cleaning	C4eT10.20GS; NAT; 120V;1PH	Disappearing Door, Cleaning
C4eT6.20GB; NAT;120V;1PH	Disappearing Door, Cleaning	C4eT10.20GS; NAT; 120V;1PH	Disappearing Door, Cleaning, Smoker
C4eT6.20GB; NAT; 120V;1PH	Disappearing Door, Cleaning, Smoker	C4eT20.20GB; NAT; 120V;1PH	Disappearing Door, Cleaning
C4eT10.20GB; NAT; 120V;1PH	Disappearing Door, Cleaning		

Submit orders for Convotherm to: steam@Welbilt.com or call (800) 338-2204
Please reference QuickShip on your Purchase Order.



LINCOLN EQUIPMENT AVAILABLE FOR QUICKSHIP

MODEL	DESCRIPTION
2501000U0001620	Model General Market 208
2502000U0001620	Model General Market 240
2501000U00V1620	Ventless Model General Market 208
2502000U00V1620	Ventless Model General Market 240
ACCESSORIES	
1353	std conveyor
1346	extended conveyor
1345	CONVEYOR END STOP
1950	WALL RECEPTACLE
1341	CTI SHELF - OUTFEED 12IN
1343	CTI SHELF - INFEEED 12IN
1342	CTI SHELF - OUTFEED 4IN
1362	HEAT GUARD CTI
1344	CTI SHELF - INFEEED 4IN

Submit orders for Lincoln to: steam@Welbilt.com or call (800) 338-2204
Please reference QuickShip on your Purchase Order.



FRYMASTER® EQUIPMENT AVAILABLE FOR QUICKSHIP

PRODUCT	ENERGY TYPE	CONTROLLER	LEGS/ CASTERS	ELEVATION	BUILT IN FILTRATION	UNITS IN BATTERY	ADDITIONAL INFO
SR142N	Natural Gas	Millivolt	Legs	Standard - 1999'	No	1	Twin Baskets
SR142P	Propane Gas	Millivolt	Legs	Standard - 1999'	No	1	Twin Baskets
SR114E	Electric (208V/3PH)	Knob	Legs		No	1	Twin Baskets
SR152G	Natural Gas	Millivolt	Legs	Standard - 1999'	No	1	Twin Baskets
SR152G	Propane Gas	Millivolt	Legs	Standard - 1999'	No	1	Twin Baskets
SR162N	Natural Gas	Millivolt	Legs	Standard - 1999'	No	1	Twin Baskets
SR162P	Propane Gas	Millivolt	Legs	Standard - 1999'	No	1	Twin Baskets
GF14	Natural Gas	Millivolt	Legs and Casters	Standard - 1999'	No	1	Twin Baskets
GF14	Propane Gas	Millivolt	Legs and Casters	Standard - 1999'	No	1	Twin Baskets
GF40	Natural Gas	Millivolt	Legs and Casters	Standard - 1999'	No	1	Twin Baskets
ESG35T	Natural Gas	Millivolt	Legs	Standard - 1999'	No	1	Twin Baskets
MJ140	Natural Gas	Millivolt	Legs	Standard - 1999'	No	1	Cover, Twin Baskets, EZ Spark Ignitor
MJ150	Natural Gas	Millivolt	Legs	Standard - 1999'	No	1	Cover, Twin Baskets, EZ Spark Ignitor
MJ1CF	Natural Gas	Millivolt	Legs	Standard - 1999'	No	1	Twin Baskets
PH155	Natural Gas (120V)	CM3.5	Legs	Standard - 4999'	No	1	Twin Baskets
FPPH255	Natural Gas (120V)	CM3.5	Casters	Standard - 4999'	Yes	2	Twin Baskets
FPH155	Natural Gas (120V)	CM3.5	Casters	Standard - 4999'	Yes	1	Twin Baskets

PF50 (120V)

PF95LP (120V)

MF90/80 (120V)

SDU50

SDU100

Submit orders for Frymaster to: fryeqorders@Welbilt.com or call (800) 221-4583
Please reference QuickShip on your Purchase Order.



EQUIPMENT AVAILABLE FOR QUICKSHIP

CONVECTION OVENS

GARLAND

- MCO-ES-10S (208 v, 3p, solid state controls)
- MCO-GS-10S (Nat, solid state controls)
- MCO-GS-10S (Pro, solid state controls)
- MCO-GS-10 (Nat, 450 controls)
- MCOGS10ESS (Nat, Energy star, solid state controls)
- MCO-GD-10S (Nat, Deep depth, solid state controls)

US RANGE

- SUMG-100 (Nat, solid state controls)
- SUMG-100 (Pro, solid state controls)

SUNFIRE

- SCO-ES-10S (208V, 3p, solid state controls, no windows)
- SCO-GS-10S (Nat, solid state controls, no windows)
- SCO-GS-10S (Pro, solid state controls, no windows)
- SCO-GS-10S (Nat, solid state controls, window / light option)
- SCO-GS-10S (Pro, solid state controls, window / light option)

**RESTAURANT RANGES
(standard with highself & legs)**

GARLAND

- G36-6R (Nat, 6 burners w/ standard oven)
- G36-6C (Nat, 6 burners w/ convection oven)
- G60-10RR (Nat, 10 burners w/ (2) standard ovens)

US RANGE

- U36-6R (Nat, 6 burners w/ standard oven)
- U60-10RR (Nat, 10 burners w/ 2 standard ovens)
- U60-6G24RR (Nat, 6 burners, 24 in. griddle w/ 2 standard ovens)

SUNFIRE

- X24-4L (Nat, 4 burners w/ space saver oven)
- X36-6R (Nat, 6 burners w/ standard oven)
- X36-6R (Pro, 6 burners w/ standard oven)
- X60-10RR (Nat, 10 burners w/ 2 standard ovens)
- X60-6G24RR (Nat, 6 burners, 24 in. griddle w/ 2 standard ovens)
- X60-6R24RR (Nat, 6 burners, 24 in. raised griddle w/ 2 standard ovens)
- X60-6R24RR (Pro, 6 burners, 24 in. raised griddle w/ 2 standard ovens)

SALAMANDERS (range mount only)

GARLAND

- GIR36 (Nat, 36 in.)

US RANGE

- UIR36 (Nat, 36 in.)

COUNTER EQUIPMENT

GARLAND BROILERS

- GTBG24-NR24 (Nat, 24 in., non-adjustable grates)
- GTBG36-NR36 (Nat, 36 in., non-adjustable grates)
- GTBG48-NR48 (Nat, 48 in., non-adjustable grates)
- GTBG60-NR60 (Nat, 60 in., non-adjustable grates)

GARLAND GRIDDLES

- GTGG24-GT24 (Nat 24 in., thermostat controlled)
- GTGG36-GT36 (Nat 36 in., thermostat controlled)
- GTGG48-GT48 (Nat 48 in., thermostat controlled)

Submit orders for Garland to: garlandusorder@Welbilt.com or call (800) 424-2411
Please reference QuickShip on your Purchase Order.



DELFIELD EQUIPMENT AVAILABLE FOR QUICKSHIP

PREP TABLES	DESCRIPTION
4427N-6	27" prep table, 6 pan
4427N-12M	27" prep table, 12 pan megatop
4448N-12	48" prep table, 12 pan
4448N-18M	48" prep table, 18 pan megatop
4460N-24M	60" prep table, 24 pan megatop
4472N-30M	72" prep table, 30 pan megatop
UNDERCOUNTERS	DESCRIPTION
406CAP	27" undercounter refrigerator
407CA	27" undercounter freezer
UC4048P	48" undercounter refrigerator
GUR48P-S	48" undercounter refrigerator - Front Breather
GUF48P-S	48" undercounter freezer - Front Breather
GUR60P-S	60" undercounter refrigerator - Front Breather
GUF60P-S	60" undercounter freezer - Front Breather
GUR72P-S	72" undercounter refrigerator - Front Breather
REACH-INS	DESCRIPTION
GBR1P-S	1 Section Refrigerator
GBR2P-S	2 Section Refrigerator
GBR1P-SH	1 Section Refrigerator, half doors
GBR2P-SH	2 Section Refrigerator, half doors
GBF1P-S	1 Section Freezer
GBF2P-S	2 Section Freezer
GBF1P-SH	1 Section Freezer, half doors
GBF2P-SH	2 Section Freezer, half doors
DROP-IN	DESCRIPTION
N8118B	1-well Cold Pan
N8130B	2-well Cold Pan
N8143B	3-well Cold Pan
N8156B	4-well Cold Pan
N8169B	5-well Cold Pan
N8717-D	1-well Hot Well
N8731-D	2-well Hot Well
N8745-D	3-well Hot Well
N8759-D	4-well Hot Well
N8773-D	5-well Hot Well

**Submit orders for Delfield to: TDC.Delfieldteam1@Welbilt.com or call (800) 733-8821
Please reference QuickShip on your Purchase Order.**



KOLPAK POLAR PAK* AVAILABLE FOR QUICKSHIP - 48 HR SHIPPING

COOLERS: 38°F - 6'-6-1/4" HIGH W/FLOOR			FREEZERS -10°F - 6'-6-1/4" HIGH-W/FLOOR		COOLERS: 38°F - 6'-3-3/4" HIGH-FLOORLESS	
SIZE	ITEM #	HP	ITEM #	HP	ITEM #	HP
5x4x6	QS6-054-CT	1/3 hp	QS6-054-FT	1 hp	QSX6-054-CT	1/3 hp
6x4x6	QS6-064-CT	1/3 hp	QS6-064-FT	1 hp	QSX6-064-CT	1/3 hp
6x6x6	QS6-066-CT	1/2 hp	QS6-066-FT	1 hp	QSX6-066-CT	1/2 hp
6x8x6	QS6-068-CT	1/2 hp	QS6-068-FT	1 1/2 hp	QSX6-068-CT	1/2 hp
6x10x6	QS6-0610-CT	3/4 hp	QS6-0610-FT	1 1/2 hp	QSX6-0610-CT	3/4 hp
6x12x6	QS6-0612-CT	3/4 hp	QS6-0612-FT	1 1/2 hp	QSX6-0612-CT	3/4 hp
8x6x6	QS6-086-CT	1/2 hp	QS6-086-FT	1 1/2 hp	QSX6-086-CT	1/2 hp
8x8x6	QS6-088-CT	3/4 hp	QS6-088-FT	1 1/2 hp	QSX6-088-CT	3/4 hp
8x10x6	QS6-0810-CT	3/4 hp	QS6-0810-FT	2 hp	QSX6-0810-CT	3/4 hp
8x12x6	QS6-0812-CT	1 hp	QS6-0812-FT	2 hp	QSX6-0812-CT	1 hp
10x6x6	QS6-106-CT	3/4 hp	QS6-106-FT	1 1/2 hp	QSX6-106-CT	3/4 hp
10x8x6	QS6-108-CT	3/4 hp	QS6-108-FT	2 hp	QSX6-108-CT	3/4 hp
10x10x6	QS6-1010-CT	3/4 hp	QS6-1010-FT	2 hp	QSX6-1010-CT	3/4 hp
12x6x6	QS6-126-CT	3/4 hp	QS6-126-FT	1 1/2 hp	QSX6-126-CT	3/4 hp
12x8x6	QS6-128-CT	1 hp	QS6-128-FT	2 hp	QSX6-128-CT	1 hp

COOLERS: 38°F - 7'-6-1/4" HIGH W/FLOOR			FREEZERS -10°F - 7'-6-1/4" HIGH-W/FLOOR		COOLERS: 38°F - 7'-3-3/4" HIGH-FLOORLESS	
SIZE	ITEM #	HP	ITEM #	HP	ITEM #	HP
5x4x7	QS7-054-CT	1/3 hp	QS7-054-FT	1 hp	QSX7-054-CT	1/3 hp
6x4x7	QS7-064-CT	1/3 hp	QS7-064-FT	1 hp	QSX7-064-CT	1/2 hp
6x6x7	QS7-066-CT	1/2 hp	QS7-066-FT	1 hp	QSX7-066-CT	1/2 hp
6x8x7	QS7-068-CT	1/2 hp	QS7-068-FT	1 1/2 hp	QSX7-068-CT	3/4 hp
6x10x7	QS7-0610-CT	3/4 hp	QS7-0610-FT	1 1/2 hp	QSX7-0610-CT	3/4 hp
6x12x7	QS7-0612-CT	3/4 hp	QS7-0612-FT	1 1/2 hp	QSX7-0612-CT	3/4 hp
8x6x7	QS7-086-CT	1/2 hp	QS7-086-FT	1 1/2 hp	QSX7-086-CT	3/4 hp
8x8x7	QS7-088-CT	3/4 hp	QS7-088-FT	1 1/2 hp	QSX7-088-CT	3/4 hp
8x10x7	QS7-0810-CT	3/4 hp	QS7-0810-FT	2 hp	QSX7-0810-CT	1 hp
8x12x7	QS7-0812-CT	1 hp	QS7-0812-FT	2 hp	QSX7-0812-CT	1 hp
10x6x7	QS7-106-CT	3/4 hp	QS7-106-FT	1 1/2 hp	QSX7-106-CT	3/4 hp
10x8x7	QS7-108-CT	3/4 hp	QS7-108-FT	2 hp	QSX7-108-CT	1 hp
10x10x7	QS7-1010-CT	1 hp	QS7-1010-FT	2 hp	QSX7-1010-CT	1hp
12x6x7	QS7-126-CT	3/4 hp	QS7-126-FT	1 1/2 hp	QSX7-126-CT	3/4 hp
12x8x7	QS7-128-CT	1 hp	QS7-128-FT	2 hp	QSX7-128-CT	1 hp

Submit orders for Kolpak to: Parsons.Operator@welbilt.com or call (800) 826-7036
Please reference QuickShip on your Purchase Order.

KOLPAK KOLDFRONTS AVAILABLE FOR QUICKSHIP - 5 DAY SHIPPING

COOLERS: 38°F - 7'-6-1/4" HIGH W/ FLOOR		
Size	Item #	HP
6x8x7	KF7-068-CR	3/4 hp
6x10x7	KF7-0610-CR	3/4 hp
6x12x7	KF7-0612-CR	1 hp
8x6x7	KF7-086-CR	3/4 hp
8x8x7	KF7-088-CR	3/4 hp
8x10x7	KF7-0810-CR	1 hp
8x12x7	KF7-0812-CR	1 hp
8x14x7	KF7-0814-CR	1 hp
10x6x7	KF7-106-CR	3/4 hp
10x8x7	KF7-108-CR	1 hp
10x10x7	KF7-1010-CR	1 hp
12x6x7	KF7-126-CR	1 hp
12x8x7	KF7-128-CR	1 hp
14x8x7	KF7-148-CR	1 hp

FREEZERS -10°F - 7'-6-1/4" HIGH W/ FLOOR		
SIZE	ITEM #	HP
6x8x7	KF7-068-FR	2 hp
6x10x7	KF7-0610-FR	2-1/2 hp
6x12x7	KF7-0612-FR	2-1/2 hp
8x6x7	KF7-086-FR	2 hp
8x8x7	KF7-088-FR	2-1/2 hp
8x10x7	KF7-0810-FR	3 hp
8x12x7	KF7-0812-FR	3 hp
10x6x7	KF7-106-FR	2-1/2 hp
10x8x7	KF7-108-FR	3 hp
10x10x7	KF7-1010-FR	3 hp
12x6x7	KF7-126-FR	2-1/2 hp
12x8x7	KF7-128-FR	3 hp

COOLERS: 38°F - 7'-6-1/4" HIGH FLOORLESS		
SIZE	ITEM #	HP
6x8x7	KFX7-068-CR	3/4 hp
6x10x7	KFX7-0610-CR	3/4 hp
6x12x7	KFX7-0612-CR	1 hp
8x6x7	KFX7-086-CR	3/4 hp
8x8x7	KFX7-088-CR	3/4 hp
8x10x7	KFX7-0810-CR	1 hp
8x12x7	KFX7-0812-CR	1 hp
8x14x7	KFX7-0814-CR	1 hp
10x6x7	KFX7-106-CR	3/4 hp
10x8x7	KFX7-108-CR	1 hp
10x10x7	KFX7-1010-CR	1 hp
12x6x7	KFX7-126-CR	1 hp
12x8x7	KFX7-128-CR	1 hp
14x8x7	KFX7-148-CR	1 hp

Submit orders for Kolpak to: Parsons.Operator@welbilt.com or call (800) 826-7036
Please reference QuickShip on your Purchase Order.



KOLPAK KOLDFRONTS AVAILABLE FOR QUICKSHIP - 5 DAY SHIPPING

COOLERS: 38°F - 8'-6-1/4" HIGH W/ FLOOR		
SIZE	ITEM #	HP
6x8x8	KF8-068-CR	3/4 hp
6x10x8	KF8-0610-CR	3/4 hp
6x12x8	KF8-0612-CR	1 hp
8x6x8	KF8-086-CR	3/4 hp
8x8x8	KF8-088-CR	3/4 hp
8x10x8	KF8-0810-CR	1 hp
8x12x8	KF8-0812-CR	1 hp
8x14x8	KF8-0814-CR	1hp
10x6x8	KF8-106-CR	3/4 hp
10x8x8	KF8-108-CR	1 hp
10x10x8	KF8-1010-CR	1 hp
10x12x8	KF8-1012-CR	1 hp
10x14x8	KF8-1014-CR	1 hp
12x6x8	KF8-126-CR	1 hp
12x8x8	KF8-128-CR	1 hp
12x10x8	KF8-1210-CR	1 hp
12x12x8	KF8-1212-CR	1 hp
12x14x8	KF8-1214-CR	1-1/2 hp
14x8x8	KF8-1408-CR	1hp
14x10x8	KF8-1410-CR	1 hp
14x12x8	KF8-1412-CR	1-1/2 hp

FREEZERS -10°F - 8'-6-1/4" HIGH W/ FLOOR		
SIZE	ITEM #	HP
6x8x8	KF8-068-FR	2 hp
6x10x8	KF8-0610-FR	2-1/2 hp
6x12x8	KF8-0612-FR	2-1/2 hp
8x6x8	KF8-086-FR	2 hp
8x8x8	KF8-088-FR	2-1/2 hp
8x10x8	KF8-0810-FR	3 hp
8x12x8	KF8-0812-FR	3 hp
10x6x8	KF8-106-FR	2-1/2 hp
10x8x8	KF8-108-FR	3 hp
10x10x8	KF8-1010-FR	3 hp
12x6x8	KF8-126-FR	2-1/2 hp
12x8x8	KF8-128-FR	3 hp

COOLERS: 38°F - 8'-6-1/4" HIGH FLOORLESS		
SIZE	ITEM #	HP
6x8x8	KFX8-068-CR	3/4 hp
6x10x8	KFX8-0610-CR	3/4 hp
6x12x8	KFX8-0612-CR	1 hp
8x6x8	KFX8-086-CR	3/4 hp
8x8x8	KFX8-088-CR	3/4 hp
8x10x8	KFX8-0810-CR	1 hp
8x12x8	KFX8-0812-CR	1 hp
8x14x8	KFX8-814-CR	1hp
10x6x8	KFX8-106-CR	3/4 hp
10x8x8	KFX8-108-CR	1 hp
10x10x8	KFX8-1010-CR	1 hp
10x12x8	KFX8-1012-CR	1 hp
10x14x8	KFX8-1014-CR	1 hp
12x6x8	KFX8-126-CR	1 hp
12x8x8	KFX8-128-CR	1 hp
12x10x8	KFX8-1210-CR	1 hp
12x12x8	KFX8-1212-CR	1 hp
12x14x8	KFX8-1214-CR	1-1/2 hp
14x8x8	KFX8-1408-CR	1hp
14x10x8	KFX8-1410-CR	1 hp
14x12x8	KFX8-1412-CR	1-1/2 hp

Submit orders for Kolpak to: Parsons.Operator@welbilt.com or call (800) 826-7036
Please reference QuickShip on your Purchase Order.

KOLPAK KOLDFRONTS PANELS ONLY AVAILABLE FOR QUICKSHIP - 5 DAY SHIPPING

COOLERS: 38°F - 7'-6-1/4" HIGH W/ FLOOR		
SIZE	ITEM #	CAPACITY
6x8x7	KF7W-068-C	252 cu. ft.
6x10x7	KF7W-0610-C	320 cu. ft.
6x12x7	KF7W-0612-C	388 cu. ft.
8x6x7	KF7W-086-C	252 cu. ft.
8x8x7	KF7W-088-C	345 cu. ft.
8x10x7	KF7W-0810-C	439 cu. ft.
8x12x7	KF7W-0812-C	532 cu. ft.
8x14x7	KF7W-0814-C	645 cu. ft.
10x6x7	KF7W-106-C	320 cu. ft.
10x8x7	KF7W-108-C	439 cu. ft.
10x10x7	KF7W-1010-C	558 cu.ft.
12x6x7	KF7W-126-C	388 cu. ft.
12x8x7	KF7W-128-C	532 cu. ft.
14x8x7	KF7W-148-C	645 cu. ft.

FREEZERS -10°F - 7'-6-1/4" HIGH W/ FLOOR		
SIZE	ITEM #	CAPACITY
6x8x7	KF7W-068-F	252 cu. ft.
6x10x7	KF7W-0610-F	320 cu. ft.
6x12x7	KF7W-0612-F	388 cu. ft.
8x6x7	KF7W-086-F	252 cu. ft.
8x8x7	KF7W-088-F	345 cu. ft.
8x10x7	KF7W-0810-F	439 cu. ft.
8x12x7	KF7W-0812-F	532 cu. ft.
10x6x7	KF7W-106-F	320 cu. ft.
10x8x7	KF7W-108-F	439 cu. ft.
10x10x7	KF7W-1010-F	558 cu.ft.
12x6x7	KF7W-126-F	388 cu. ft.
12x8x7	KF7W-128-F	532 cu. ft.

COOLERS: 38°F - 7'-6-1/4" HIGH FLOORLESS		
SIZE	ITEM #	CAPACITY
6x8x7	KFX7W-068-C	252 cu. ft.
6x10x7	KFX7W-0610-C	320 cu. ft.
6x12x7	KFX7W-0612-C	388 cu. ft.
8x6x7	KFX7W-086-C	252 cu. ft.
8x8x7	KFX7W-088-C	345 cu. ft.
8x10x7	KFX7W-0810-C	439 cu. ft.
8x12x7	KFX7W-0812-C	532 cu. ft.
8x14x7	KFX7W-0814-C	645 cu. ft.
10x6x7	KFX7W-106-C	320 cu. ft.
10x8x7	KFX7W-108-C	439 cu. ft.
10x10x7	KFX7W-1010-C	558 cu.ft.
12x6x7	KFX7W-126-C	388 cu. ft.
12x8x7	KFX7W-128-C	532 cu. ft.
14x8x7	KFX7W-148-C	645 cu. ft.

Submit orders for Kolpak to: Parsons.Operator@welbilt.com or call (800) 826-7036
Please reference QuickShip on your Purchase Order.



KOLPAK KOLDFRONTS PANELS ONLY AVAILABLE FOR QUICKSHIP - 5 DAY SHIPPING

COOLERS: 38°F - 8'-6-1/4" HIGH W/ FLOOR		
SIZE	ITEM #	CAPACITY
6x8x8	KF8W-068-C	286 cu. ft.
6x10x8	KF8W-0610-C	357 cu. ft.
6x12x8	KF8W-0612-C	428 cu. ft.
8x6x8	KF8W-086-C	286 cu. ft.
8x8x8	KF8W-088-C	381 cu. ft.
8x10x8	KF8W-0810-C	476 cu. ft.
8x12x8	KF8W-0812-C	571 cu. ft.
8x14x8	KF8W-814-C	674 cu.ft.
10x6x8	KF8W-106-C	357 cu. ft.
10x8x8	KF8W-108-C	476 cu. ft.
10x10x8	KF8W-1010-C	595 cu.ft.
10x12x8	KF8W-1012-C	714 cu. ft.
10x14x8	KF8W-1014-C	833 cu. ft.
12x6x8	KF8W-126-C	428 cu. ft.
12x8x8	KF8W-128-C	571 cu. ft.
12x10x8	KF8W-1210-C	714 cu. ft.
12x12x8	KF8W-1212-C	857 cu. ft.
12x14x8	KF8W-1214-C	1000 cu. ft.
14x8x8	KF8W-148-C	674 cu.ft.
14x10x8	KF8W-1410-C	833 cu. ft.
14x12x8	KF8W-1412-C	1000 cu. ft.

FREEZERS -10°F - 8'-6-1/4" HIGHW/ FLOOR		
SIZE	ITEM #	CAPACITY
6x8x8	KF8W-068-F	286 cu. ft.
6x10x8	KF8W-0610-F	357 cu. ft.
6x12x8	KF8W-0612-F	428 cu. ft.
8x6x8	KF8W-086-F	286 cu. ft.
8x8x8	KF8W-088-F	381 cu. ft.
8x10x8	KF8W-0810-F	476 cu. ft.
8x12x8	KF8W-0812-F	571 cu. ft.
10x6x8	KF8W-106-F	357 cu. ft.
10x8x8	KF8W-108-F	476 cu. ft.
10x10x8	KF8W-1010-F	595 cu.ft.
12x6x8	KF8W-126-F	428 cu. ft.
12x8x8	KF8W-128-F	571 cu. ft.

COOLERS: 38°F - 8'-6-1/4" HIGH FLOORLESS		
SIZE	ITEM #	CAPACITY
6x8x8	KFX8W-068-C	286 cu. ft.
6x10x8	KFX8W-0610-C	357 cu. ft.
6x12x8	KFX8W-0612-C	428 cu. ft.
8x6x8	KFX8W-086-C	286 cu. ft.
8x8x8	KFX8W-088-C	381 cu. ft.
8x10x8	KFX8W-0810-C	476 cu. ft.
8x12x8	KFX8W-0812-C	571 cu. ft.
8x14x8	KFX8W-814-C	674 cu.ft.
10x6x8	KFX8W-106-C	357 cu. ft.
10x8x8	KFX8W-108-C	476 cu. ft.
10x10x8	KFX8W-1010-C	595 cu.ft.
10x12x8	KFX8W-1012-C	714 cu. ft.
10x14x8	KFX8W-1014-C	833 cu. ft.
12x6x8	KFX8W-126-C	428 cu. ft.
12x8x8	KFX8W-128-C	571 cu. ft.
12x10x8	KFX8W-1210-C	714 cu. ft.
12x12x8	KFX8W-1212-C	857 cu. ft.
12x14x8	KFX8W-1214-C	1000 cu. ft.
14x8x8	KFX8W-148-C	674 cu.ft.
14x10x8	KFX8W-1410-C	833 cu. ft.
14x12x8	KFX8W-1412-C	1000 cu. ft.

Submit orders for Kolpak to: Parsons.Operator@welbilt.com or call (800) 826-7036
Please reference QuickShip on your Purchase Order.

KOLPAK KOLDFRONT COMBO AVAILABLE FOR QUICKSHIP - 5 DAY SHIPPING

COOLERS: 38°F & FREEZERS: 10°F - 7'-6-1/4" HIGH W/FLOOR

SIZE	REMOTE	ACTUAL SIZE	COOLER REFRIGERATION	FREEZER REFRIGERATION
8x16x7	KF7-816-C8-F8	7'9x15'5"	PC69MOP & AM26-70	PC249LOP & EL26-92
8x18x7	KF7-818-C8-F10	7'9x17'4"	PC69MOP & AM26-70	PC299LOP & EL36-120
8x18x7	KF7-818-C10-F8	7'9x17'4"	PC99MOP & AM26-87	PC249LOP & EL26-92
8x20x7	KF7-820-C8-F12	7'9x19'3"	PC69MOP & AM26-70	PC299LOP & EL36-120
8x20x7	KF7-820-C10-F10	7'9x19'3"	PC99MOP & AM26-87	PC299LOP & EL36-120
8x20x7	KF7-820-C12-F8	7'9x19'3"	PC99MOP & AM26-87	PC249LOP & EL26-92
8x22x7	KF7-822-C10-F12	7'9x21'2"	PC99MOP & AM26-87	PC299LOP & EL36-120
8x22x7	KF7-822-C12-F10	7'9x21'2"	PC99MOP & AM26-87	PC299LOP & EL36-120
8x24x7	KF7-824-C12-F12	7'9x23'1"	PC99MOP & AM26-87	PC299LOP & EL36-120
10x16x7	KF7-1016-C8-F8	9'8"x15'5"	PC99MOP & AM26-87	PC299LOP & EL36-120
10x18x7	KF7-1018-C8-F10	9'8"x17'4"	PC99MOP & AM26-87	PC299LOP & EL36-120
10x18x7	KF7-1018-C10-F8	9'8"x17'4"	PC99MOP & AM26-87	PC299LOP & EL36-120
10x20x7	KF7-1020-C10-F10	9'8"x19'3"	PC99MOP & AM26-87	PC299LOP & EL36-120
12x16x7	KF7-1216-C8-F8	11'7"x15'5"	PC99MOP & AM26-87	PC299LOP & EL36-120

COOLERS: 38°F & FREEZERS: 10°F - 8'-6-1/4" HIGH W/FLOOR

SIZE	REMOTE	ACTUAL SIZE	COOLER REFRIGERATION	FREEZER REFRIGERATION
8x16x8	KF8-816-C8-F8	7'9x15'5"	PC69MOP & AM26-70	PC249LOP & EL26-92
8x18x8	KF8-818-C8-F10	7'9x17'4"	PC69MOP & AM26-70	PC299LOP & EL36-120
8x18x8	KF8-818-C10-F8	7'9x17'4"	PC99MOP & AM26-87	PC249LOP & EL26-92
8x20x8	KF8-820-C8-F12	7'9x19'3"	PC99MOP & AM26-87	PC299LOP & EL36-120
8x20x8	KF8-820-C10-F10	7'9"x19'3"	PC99MOP & AM26-88	PC299LOP & EL36-121
8x20x8	KF8-820-C12-F8	7'9x19'3"	PC99MOP & AM26-87	PC249LOP & EL26-92
8x22x8	KF8-822-C10-F12	7'9x21'2"	PC99MOP & AM26-87	PC299LOP & EL36-120
8x22x8	KF8-822-C12-F10	7'9x21'2"	PC99MOP & AM26-87	PC299LOP & EL36-120
8x24x8	KF8-824-C12-F12	7'9x23'1"	PC99MOP & AM26-87	PC299LOP & EL36-120
10x16x8	KF8-1016-C8-F8	9'8"x15'5"	PC99MOP & AM26-87	PC299LOP & EL36-120
10x18x8	KF8-1018-C8-F10	9'8"x17'4"	PC99MOP & AM26-87	PC299LOP & EL36-120
10x18x8	KF8-1018-C10-F8	9'8"x17'4"	PC99MOP & AM26-87	PC299LOP & EL36-120
10x20x8	KF8-1020-C10-F10	9'8"x19'3"	PC99MOP & AM26-87	PC299LOP & EL36-120
10x22x8	KF8-1022-C12-F10	9'8"x21'2"	PC99MOP & AM26-87	PC299LOP & EL36-120
10x22x8	KF8-1022-C14-F8	9'8"x21'2"	PC99MOP & AM26-88	PC299LOP & EL36-121
10x24x8	KF8-1024-C14-F10	9'8"x23'1"	PC99MOP & AM26-87	PC299LOP & EL36-120
12x16x8	KF8-1216-C8-F8	11'7"x15'5"	PC99MOP & AM26-87	PC299LOP & EL36-120
12x18x8	KF8-1218-C10-F8	11'7"x17'4"	PC99MOP & AM26-87	PC299LOP & EL36-120
12x20x8	KF8-1220-C12-F8	11'7"x19'3"	PC99MOP & AM26-87	PC299LOP & EL36-120
12x22x8	KF8-1222-C14-F8	11'7"x21'2"	PC99MOP & AM26-87	PC299LOP & EL36-120

**Submit orders for Kolpak to: Parsons.Operator@welbilt.com or call (800) 826-7036
Please reference QuickShip on your Purchase Order.**

KOLPAK KOLDFRONT COMBO - PANELS ONLY AVAILABLE FOR QUICKSHIP - 5 DAY SHIPPING

COOLERS: 38°F & FREEZERS: 10°F - 7'-6-1/4" HIGH W/FLOOR

SIZE	REMOTE	ACTUAL SIZE	SHIP WEIGHT
8x13x7	KF7W-816-C8-F8	7'9x15'5"	2348
8x18x7	KF7W-818-C8-F10	7'9x17'4"	2519
8x18x7	KF7W-818-C10-F8	7'9x17'4"	2519
8x20x7	KF7W-820-C8-F12	7'9x19'3"	2617
8x20x7	KF7W-820-C10-F10	7'9x19'3"	2617
8x20x7	KF7W-820-C12-F8	7'9x19'3"	2617
8x22x7	KF7W-822-C10-F12	7'9x21'2"	2788
8x22x7	KF7W-822-C12-F10	7'9x21'2"	2788
8x24x7	KF7W-824-C12-F12	7'9x23'1"	2977
10x16x7	KF7W-1016-C8-F8	9'8"x15'5"	2599
10x18x7	KF7W-1018-C8-F10	9'8"x17'4"	2816
10x18x7	KF7W-1018-C10-F8	9'8"x17'4"	2816
10x20x7	KF7W-1020-C10-F10	9'8"x19'3"	3033
12x16x7	KF7W-1216-C8-F8	11'7"x15'5"	2977

COOLERS: 38°F & FREEZERS: 10°F - 8'-6-1/4" HIGH W/FLOOR

SIZE	REMOTE	ACTUAL SIZE	SHIP WEIGHT
8x16x8	KF8W-816-C8-F8	7'9x15'5"	2348
8x18x8	KF8W-818-C8-F10	7'9x17'4"	2519
8x18x8	KF8W-818-C10-F8	7'9x17'4"	2519
8x20x8	KF8W-820-C8-F12	7'9x19'3"	2606
8x20x8	KF8W-820-C10-F10	7'9x19'3"	2606
8x20x8	KF8W-820-C12-F8	7'9x19'3"	2606
8x22x8	KF8W-822-C10-F12	7'9x21'2"	2788
8x22x8	KF8W-822-C12-F10	7'9x21'2"	2788
8x24x8	KF8W-824-C12-F12	7'9x23'1"	2977
10x16x8	KF8W-1016-C8-F8	9'8"x15'5"	2599
10x18x8	KF8W-1018-C8-F10	9'8"x17'4"	2816
10x18x8	KF8W-1018-C10-F8	9'8"x17'4"	2816
10x20x8	KF8W-1020-C10-F10	9'8"x19'3"	3033
10x22x8	KF8W-1022-C12-F10	9'8"x21'2"	3283
10x22x8	KF8W-1022-C14-F8	9'8"x21'2"	3283
10x24x8	KF8W-1024-C14-F10	9'8"x23'1"	3568
12x16x8	KF8W-1216-C8-F8	11'7"x15'5"	2977
12x18x8	KF8W-1218-C10-F8	11'7"x17'4"	3255
12x20x8	KF8W-1220-C12-F8	11'7"x19'3"	3540
12x22x8	KF8W-1222-C14-F8	11'7"x21'2"	3865

Submit orders for Kolpak to: Parsons.Operator@welbilt.com or call (800) 826-7036
Please reference QuickShip on your Purchase Order.

Advantages of PC 120 Series Remote Refrigeration Systems

Air Cooled Indoor/Outdoor Condensing Units

Kolpak Systems	vs	Leading Competitor
PC Condensing Unit Assembly		Condensing Unit Assembly
-20°F to +120°F	Ambient Range	-20°F to +110°F
Standard	Refrigerant Charge	not available except with line sets
Standard	Over sized condenser	Option
Standard	Condenser copper tub aluminum fin	Standard Some Models
Standard	Over sized Receiver	Option
Standard	Angle Valve at Receiver	Standard
Standard	Base Valves Liquid & Suction	Standard Some Models
Standard	PSC Fan Motor	Standard
Standard	Liquid Line Dryer	Standard Some Models
Standard	Sight Glass	Standard Some Models
Standard	Rated Indoor / outdoor	Standard Some Models
Standard	Weather Housing included	Standard Some Models
Standard	Components Mtd & Wired	Standard Some Models
1 year Parts & Labor	Standard Warranty	1 Year Parts Only
Evaporator Assembly w/PC		Evaporator Assembly
Standard	TXV Factory Installed	Option
Standard	Solenoid Factory Installed	Option
Standard	Digital Temp Control Installed	Option
1 year Parts & Labor	Standard Warranty	1 Year Parts Only

Note: Average field installed cost of refrigerant (R404a) is \$20 per pound.

A. 1/2 Hp medium temp system requires 5.5 lbs of refrigerant = $5.5 \times \$20 = \110

B. 5 Hp medium temp system requires 17.0 lbs of refrigerant = $17 \times \$20 = \340

C. Savings on refrigerant cost does not include extended labor to evacuate CU and Charge system (typically 4 hrs).

Comment: Kolpak Systems are designed to work at 120°F ambient due to the inclusion of a larger condenser that provides for increased air flow as compared to the other units with smaller condensers.

There are 3 real benefits that come from this design.

1. They simply continue to condense and cool at higher ambients, where the competitive units cannot.
2. Compressors discharge temperature is lower increasing compressor life.
3. Energy consumption is lower because of the increased efficiency in THR (Total Heat Rejection).



WELBILT HEADQUARTERS

2227 WELBILT BOULEVARD, NEW PORT RICHEY, FL 34655

(877) 375-9300 FAX (727) 372-5875

WELBILT.COM



Bringing innovation to the table | welbilt.com

Welbilt provides the world's top chefs, and premier chain operators or growing independents with industry leading equipment and solutions. Our cutting-edge designs and lean manufacturing tactics are powered by deep knowledge, operator insights, and culinary expertise. All of our products are backed by KitchenCare® – our aftermarket, repair, and parts service.

- ▶ CLEVELAND
- ▶ DELFIELD®
- ▶ FRYMASTER®
- ▶ KOLPAK®
- ▶ WELBILT®
- ▶ MERRYCHEF®
- ▶ CONVOTHERM®
- ▶ FITKITCHENSM
- ▶ GARLAND®
- ▶ LINCOLN
- ▶ MERCO®
- ▶ MULTIPLEX®